Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style	
PSS3P4014	FIRE EXTINGUISHER		=		
PSS3P4042	SEVERE WEATHER SHELTER	6.00 [152.4]	5.00	ЗD	
PSS3P4047	TORNADO SHELTER				
PSS9P4058	SPILL STATION		10.00		
PSS9P4034	EXIT		12.00 [304.8]	90D	
PSS9P4036	EXIT (GLOW)	8.00 [203.2]	1 301.03		
PSS9P4042	SEVERE WEATHER SHELTER		8.00		
PSS9P4047	TORNADO SHELTER		[203.2]		
PSS3P4016M	FIRE EXTINGUISHER (ARROW)	18.00 [457.2]			
PSS3P4026	FIRE EXTINGUISHER (GLOW - ARROW)	24.00 [609.6]	4.00		
PSS3P4029	FIRE ALARM (ARROW)	18.00 [457.2]	[101.6]	ЗD	
PSS3P4016S	FIRE EXTINGUISHER	12.00 [304.8]		50	
PSS3P4034	EXIT	8.00 [203.2]	12.00 [304.8]		


NOTES:

В

- 1. [] Indicates millimeters
 2. 90D signs project from the wall at 90 degrees and can be viewed from either side.

2

- 3. 3D Signs project at 45 degree angle providing viewing from the front and sides. 4. VISIT WWW.PANDUIT.COM TO VIEW
- LEGEND AND COLOR.



В

 \land

							TITLE					
							_		Р	SS*P**	• * *	
A									Pro	ojection S	Signs	A
										JSTOMER DRA		
							ITEM REVIS	100	999BM/00		PANDUIT	
							DATASET F		_DC_C11532/	00A		
							DIMEN	NLESS OTHE ISIONAL TOL	RWISE SPEO ERANCES AN	CIFIED, RE: IN [mm]	.100 thick	
								0.50 [12.7		0.13 [3.127] 5 °	high impact plastic	c
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449	1 E			RD ANGLE OJECTION	C11532	
RE	V DATE	BY	СНК	APR	DESCRIPTION	ECN	DRAWN BY	4/15/16		SCALE NTS	SHT 1 OF 6	A
					2				·	1	· ·	

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4036	EXIT (GLOW)	8.00 [203.2]	12.00 [304.8]	
PSS3P4049	FIRE EXTINGUISHER			
PSS3P4053	SEVERE WEATHER SHELTER AREA	6.00 [152.4]	5.00 [127.0]	
PSS3P4055	TORNADO SHELTER			
PSS3P4069	FIRST AID	18.00 [457.2]	4.00 [101.6]	3D
PSS3P4070	EYE WASH	18.00 [457.2]	4.00 [101.6]	
PSS3P4081	NO SMOKING	6.00 [152.4]	5.00 [127.0]	
PSS3P4087	PLEASE RECYCLE	8.00 [203.2]	12.00 [304.8]	
PSS9P4029	FIRE ALARM	18.00 [457.2]		
PSS9P4016S	FIRE EXTINGUISHER	12.00 [304.8]		
PSS9P4016M	FIRE EXTINGUISHER		4.00 [101.6]	900
PSS9P4069	FIRST AID	18.00 [457.2]		
PSS9P4070	EYE WASH			

NOTES:


В

- 1. [] Indicates millimeters
 2. 90D signs project from the wall at 90 degrees and can be viewed from either side.

2

- 3. 3D Signs project at 45 degree angle providing viewing from the front and sides. 4. VISIT WWW.PANDUIT.COM TO VIEW
- LEGEND AND COLOR.

 (\bigcirc)



В

 \land

A							TITLE		• * * Signs wing			
							DATASET F		9BM/00 C_C11532/(00A	PANDUIT	
							.× ±	NLESS OTHERW SIONAL TOLEF 0.50 [12.7] 0.25 [6.35]	.××× ±	CIFIED, RE: IN [mm] 0.13 [3.127]	.100 thick high impact plastic	
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449			THI		DRAWING NUMBER: C11532	
RE	DATE	BY	СНК	APR	DESCRIPTION	ECN	RVU	4/15/16	JHAC	NTS	SHT 2 OF 6	
					2					1		


2

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS9P4071	SDS		12.00 [304.8]	
PSS9P4049	FIRE EXTINGUISHER			•
PSS9P4053	SEVERE WEATHER SHELTER AREA	8.00 [203.2]	8.00 [203.2]	900
PSS9P4055	TORNADO SHELTER			900
PSS9P4081	NO SMOKING	-		[304.8]
PSS9P4087	PLEASE RECYCLE		12.00 [304.8]	
PSS3P4002	EYE WASH			
PSS3P4006	FIRST AID			
PSS3P4008	A E D (RD-BU/YL)			
PSS3P4010	A E D (RD-BK/WT)	6.00 [152.4]	5.00 [127.0]	ЗD
PSS3P4011	A E D AUTOMATED EXTERNAL DEFIBRILLATOR			
PSS3P4019	FIRE EXTINGUISHER			
PSS3P4021	FIRE ALARM			

NOTES:

В

- 1. [] Indicates millimeters
 2. 90D signs project from the wall at 90 degrees and can be viewed from either side.
- 3. 3D Signs project at 45 degree angle providing viewing from the front and sides. 4. VISIT WWW.PANDUIT.COM TO VIEW
- LEGEND AND COLOR.



В

 \land

							TITLE	1
							PSS*P***	
A							Projection Signs	
							CUSTOMER DRAWING	
							ITEM REVISION NAME 100999BM/00 DATASET FILE NAME 1000000BM DC. C11E22 (00.0	
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN [mm]	
							.x ± 0.50 [12.7] .xx ± 0.13 [3.127] .xx ± 0.25 [6.35] ANGLES ± 5 °	
(0 4/15/1	6 RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449	THIRD ANGLE PROJECTION C11532	
RE	EV DATE	BY	СНК	APR	DESCRIPTION	ECN	RVU 4/15/16 JHAC NTS SHT 3 OF 6	
					2		1	

2

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4023	MEN	6.00 [152.4]	5.00 [127.0]	
PSS3P4016L	FIRE EXTINGUISHER	24.00 [609.6]	4.00 [101.6]] 3D
PSS3P4035	WOMEN	6,00 [152,4]	5,00 [127,0]	
PSS3P4037	FIRST AID		5.00 12/.01	
PSS9P4002	EYE WASH			
PSS9P4008	AED (BU/RD/YL)	8.00 [203.2]		
PSS9P4006	FIRST AID		8.00 [203.2]	90D
PSS9P4014	FIRE EXIT			
PSS9P4010	AED (BK/RD/WHT)]		
PSS9P4037	FIRST AID			
PSS9P4016L	FIRE EXTINGUISHER	24.00 [609.6]	4 00 [101 6]	
PSS9P4026	FIRE EXTINGUISHER (GLOW)	24.00 [609.6]	4.00 [101.0]	
PSS9P4011	A E D AUTOMATED EXTERNAL EFIBRILLATOR	8.00 [203.2]	8.00 [203.2]	

NOTES:

В


- 1. [] Indicates millimeters
 2. 90D signs project from the wall at 90 degrees and can be viewed from either side.

2

3. 3D Signs project at 45 degree angle providing viewing from the front and sides. 4. VISIT WWW.PANDUIT.COM TO VIEW

6

LEGEND AND COLOR.



В


 \neg

							PSS*P*** Projection Signs					
							ITEM REVI	SION NAME	WING	_		
							DATASET F		99BM/00		PANDUIT	
								100999BM_	DC_C11532/			
							DIMEN	INLESS OTHEF ISIONAL TOLE	WISE SPE RANCES A	CIFIED, RE: IN [mm]	.100 thick	
								0.50 [12.7 0.25 [6.35		0.13 [3.127] 5 °	high impact plastic	
0	4/15/16	RVU	SEWH	JHAC	DRAWING RELEASE.	GAECN03449] [RD ANGLE OJECTION	DRAWING NUMBER: C11532	
RE	V DATE	BY	СНК	APR	DESCRIPTION	ECN	RVU	4/15/16	JHAC	SCALE NTS	SHT 4 OF 6	
	I				2			1		1		

2

В

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS9P4019	FIRE EXTINGUISHER			
PSS9P4021	FIRE ALARM		8.00 [203.02]	900
PSS9P4023	MEN	8.00 [203.02]		900
PSS9P4035	WOMEN			
PSS3P4058	SPILL STATION		12.00 [304.8]	
PSS3P4071	SDS		12.00 1304.81	3D
PSS3P4062	A E D AUTOMATED EXTERNAL DEFLIBRILLATOR (GLOW)	6.00 [152.4]	5.00 [127.0]	
PSS9P4062	A E D AUTOMATED EXTERNAL DEFLIBRILLATOR (GLOW)	8.00 [203.2]	8.00 [203.2]	90D
PSS3P4392	FIRE EXTINGUISHER / EXTINTOR DE INCENDIOS	12.00 [304.8]	9.00 [228.6]	3D



B

2

В

Part Number	Legend	"A" Panel Height	"B" Panel Width	Projection Style
PSS3P4443	SEVERE WEATHER SHELTER AREA / AREA DE REFUGIO EN CONDICIONES ATMOSFERAS RIGUROSAS			ЗD
PSS3P4444	TORNADO SHELTER / REYGUI CONTRA TORNADOS			
PSS9P4443	SEVERE WEATHER SHELTER AREA / AREA DE REFUGIO EN CONDICIONES ATMOSFERAS RIGUROSAS		9.00 [228.6]	90D
PSS9P4444	TORNADO SHELTER / REYGUI CONTRA TORNADOS	12.00 [304.8]		
PSS9P4392	FIRE EXTINGUISHER / EXTINTOR DE INCENDIOS			
PSS394658	A E D AUTOMATED EXTERNAL DEFIBRILLATOR/ DESFIBRILADOR EXTERNO AUTOMATICO	(TERNO AUTOMATICO EXTERNAL DEFIBRILLATOR/		ЗD
PSS9P4658	A E D AUTOMATED EXTERNAL DEFIBRILLATOR/ DESFIBRILADOR EXTERNO AUTOMATICO			90D

В

